

CONTENTS

EXECUTIVE SUMMARY	3
LIST OF TABLES	13
LIST OF APPENDIX TABLES	17
LIST OF FIGURES	20
LIST OF EQUATIONS	22
1 BACKGROUND	23
2 INTRODUCTION	24
2.1 Approaches to surveillance of HAI	24
2.1.1 Incidence	24
2.1.2 Prevalence	24
2.1.3 Importance of post-discharge surveillance	25
2.1.4 History of HAI surveillance to date	26
2.2 Literature review of surveys of the prevalence of HAI	28
2.2.1 The current Scottish Surveillance of Healthcare Associated Infection Programme (SSHAIP) programme content	29
3 AIMS	31
4 OBJECTIVES	31
5 METHODOLOGY	32
5.1 Organisational aspects	32
5.2 Study design	33
5.2.1 Definition of acute hospitals	33
5.2.2 Definition of non-acute hospitals	34
5.2.3 Structure of the survey	34
5.2.4 Eligibility	37
5.2.5 HAI definitions	37

5.3	Methods	38
5.3.1	<i>Data collection on wards</i>	38
5.3.2	<i>Data management</i>	39
5.3.3	<i>Validation</i>	39
5.3.4	<i>Invasive device data collection</i>	40
5.3.5	<i>Surgery data collection</i>	40
5.3.6	<i>Length of Stay (LOS) data collection</i>	40
5.3.7	<i>Prevalence and incidence data collection</i>	40
5.4	Statistical analysis	41
5.4.1	<i>Prevalence calculations</i>	41
5.4.2	<i>95% Confidence intervals</i>	41
5.4.3	<i>Box plots</i>	41
5.4.4	<i>Funnel plots</i>	41
5.4.5	<i>Prevalence logistic regression analyses</i>	42
5.4.6	<i>LOS regression analyses</i>	43
5.4.7	<i>Kaplan Meier analysis</i>	43
5.4.8	<i>Economic analysis</i>	43
5.4.9	<i>Use of prescription of antimicrobials as a proxy indicator of HAI</i>	44
5.4.10	<i>Prevalence to incidence calculation</i>	45
6	RESULTS	46
6.1	Readers notes	46
6.1.1	<i>Structure of report</i>	46
6.1.2	<i>Standard order of presentation</i>	46
6.1.3	<i>Tables</i>	47
6.1.4	<i>Multiple infections</i>	47
6.1.5	<i>Rounding</i>	47
6.1.6	<i>Acronyms</i>	47
6.2	The Survey population	48
6.2.1	<i>Numbers</i>	48
6.2.2	<i>Geographical distribution</i>	49
6.2.3	<i>Gender and age</i>	50
6.2.4	<i>Hospitals</i>	51
6.2.5	<i>Ward type</i>	52

6.2.6	<i>Boarders</i>	53
6.2.7	<i>Specialties</i>	53
6.3	The prevalence of HAI	56
6.3.1	<i>Overall prevalence</i>	56
6.3.2	<i>Prevalence of inpatients with HAI by age and gender</i>	57
6.3.3	<i>Prevalence of HAI by hospital type and size</i>	58
6.3.4	<i>Prevalence of HAI by type of ward</i>	59
6.3.5	<i>Prevalence of HAI by Boarder status</i>	60
6.3.6	<i>The proportions of acute inpatients with different types of HAI</i>	60
6.3.7	<i>Prevalence of HAI in acute hospital inpatients, by specialty</i>	63
6.3.8	<i>Acute hospital funnel plots for specialties within each hospital</i>	64
6.3.9	<i>The proportions of non-acute inpatients with different types of HAI</i>	69
6.3.10	<i>Prevalence of HAI for non-acute inpatients, by specialty</i>	71
6.3.11	<i>Non-acute hospital funnel plots for specialties within each hospital</i>	72
6.3.12	<i>Prevalence by admission type</i>	73
6.4	Microbiology	74
6.5	Antimicrobials	74
6.6	Prevalence of HAI by season	80
6.7	Invasive devices	81
6.8	Surgery	83
6.8.1	<i>Acute hospitals</i>	83
6.9	Prevalence logistic regression analysis	84
6.9.1	<i>Acute hospitals univariate analysis</i>	84
6.9.2	<i>Acute hospital multivariate logistic regression analysis</i>	86
6.9.3	<i>Non-acute hospitals univariate analysis</i>	88
6.9.4	<i>Non-acute hospitals multivariate analysis</i>	89
6.10	Length of stay analysis	90
6.10.1	<i>Data collection and analysis</i>	90
6.10.2	<i>Burden study demographics</i>	91
6.10.3	<i>Censoring</i>	94
6.10.4	<i>Discharge status</i>	94
6.10.5	<i>Acute hospital distribution of length of stay data</i>	95
6.10.6	<i>Inclusion and exclusion criteria</i>	95

6.10.7	<i>LOS by discharge status</i>	96
6.10.8	<i>Length of stay by specialty</i>	96
6.10.9	<i>Length of stay by infection type for those with HAI</i>	97
6.10.10	<i>Kaplan Meier analyses</i>	98
6.11	Length of stay models	99
6.11.1	<i>LOS model 1 HAI status only</i>	99
6.11.2	<i>LOS model 2 HAI status and specialty</i>	100
6.11.3	<i>LOS model 3 HAI, specialty, age and gender</i>	102
6.12	Length of stay estimate for economic analyses	103
6.12.1	<i>LOS model 1 (HAI Only) with limited dataset n=1158</i>	104
6.12.2	<i>LOS model 2 (HAI status and specialty) with limited dataset n=1158</i>	105
6.13	Hospital costs as a result of increased length of stay	107
6.13.1	<i>Analysis of cost by specialty</i>	108
6.13.2	<i>Additional length of stay as a result of infection</i>	109
6.13.3	<i>Sensitivity analysis</i>	112
6.14	Use of prescription of antimicrobials as a proxy indicator of HAI	113
6.15	Prevalence compared with incidence measured during the survey	114
7	RESULTS ON THE PROJECT MANAGEMENT ASPECTS OF THE SCOTTISH NATIONAL HAI PREVALENCE SURVEY	115
7.1	Acceptability, feasibility and cost results	115
7.2	What is a suitable methodology for repeated prevalence surveys, which give comparable information?	116
8	DISCUSSION	117
8.1	Objective 1 - What is the overall prevalence of HAI and the specific types of HAI in adult inpatients in acute and non-acute hospitals in Scotland?	117
8.1.1	<i>Acute hospitals overall prevalence</i>	117
8.1.2	<i>Acute hospitals prevalence by hospital type, specialty and ward type</i>	118
8.1.3	<i>Acute hospitals HAI type</i>	119
8.1.4	<i>Non-acute hospitals overall prevalence</i>	120
8.1.5	<i>Non-acute hospitals prevalence by hospital, specialty and ward type</i>	120
8.1.6	<i>Non-acute hospitals infection types</i>	120

8.1.7	<i>Multivariate logistic regression analysis</i>	121
8.1.8	<i>Objective 1 recommendations</i>	121
8.2	Objective 2 - What is the impact of HAI in terms of length of stay on NHS activity?	123
8.2.1	<i>Calculating LOS</i>	123
8.2.2	<i>Adjusted best estimate of increased LOS due to HAI comparable with the inpatients data from ISD</i>	124
8.2.3	<i>Objective 2 recommendations</i>	124
8.3	Objective 3 - What are the hospital costs associated with HAI in Scotland and how much cost saving would be anticipated as a result of HAI control?	125
8.3.1	<i>Context</i>	125
8.3.2	<i>Length of stay analysis discussion</i>	125
8.3.3	<i>Economic analysis approach</i>	126
8.3.4	<i>How does this figure compare to earlier estimates?</i>	126
8.3.5	<i>Objective 3 recommendations</i>	127
8.4	Objective 4 - Prescription of antimicrobials 48 hours after admission to hospital as a proxy indicator of HAI	128
8.4.1	<i>Objective 4 recommendations</i>	128
8.5	Objective 5: How do the incidence estimates obtained from prevalence measured in this survey compare with the results of targeted incidence surveys?	129
8.5.1	<i>Objective 5 recommendations</i>	129
8.6	Objective 6 - What are the priority areas for targeted incidence surveillance?	131
8.6.1	<i>Implications of the prevalence study for the SSHAIP programme</i>	131
8.6.2	<i>Volume</i>	131
8.6.3	<i>Cost</i>	132
8.6.4	<i>Risk</i>	132
8.6.5	<i>Effect on mortality</i>	133
8.6.6	<i>Prioritising areas for targeted surveillance</i>	133
8.6.7	<i>Objective 6 recommendations</i>	136
8.7	Objective 7 - Priority areas for intervention	137
8.7.1	<i>Preventability of HAI</i>	137
8.7.1	<i>Priority areas for intervention</i>	139

8.7.2	<i>Cost implications of targeting priority areas for prevention</i>	140
8.7.3	<i>Objective 7 recommendations</i>	142
8.8	Objective 8 - What are the acceptability, feasibility and cost of undertaking prevalence surveys in Scottish hospitals?	144
8.8.1	<i>Acceptability</i>	144
8.8.2	<i>Feasibility</i>	144
8.8.3	<i>Cost</i>	145
8.9	Objective 9 - What is a suitable methodology for repeated prevalence surveys, which give comparable information?	147
8.9.1	<i>Objective 9 recommendations</i>	148
9	LIMITATIONS OF THE SURVEY	149
9.1	Prevalence estimates	149
9.2	LOS estimates	149
9.3	Outbreaks	150
9.4	Economic analyses	150
9.5	Limitations to using antimicrobial prescribing as a test for HAI	151
10	REFERENCES	152
11	RECOMMENDATIONS FOR FUTURE WORK	156
11.1	<i>Objective 1</i>	156
11.2	<i>Objective 2</i>	156
11.3	<i>Objective 3</i>	156
11.4	<i>Objective 4</i>	156
11.5	<i>Objective 5</i>	156
11.6	<i>Objective 6</i>	157
11.7	<i>Objective 7</i>	157
11.8	<i>Objective 8</i>	157
11.9	<i>Objective 9</i>	157
	APPENDIX 1 - LITERATURE REVIEW	159
	APPENDIX 2 - DATA ITEMS COLLECTED DURING THE SURVEY	162

APPENDIX 3 - CONTROLLED LISTS	165
3.1 Specialties	165
3.2 Surgery	167
3.3 Antimicrobials	169
3.4 HAI types	174
APPENDIX 4 - DEMOGRAPHIC TABLES	176
4.1 Age and gender	176
4.2 Hospitals	178
4.3 Specialty	182
4.4 Admission type	185
4.5 Borders	186
APPENDIX 5 - THE PREVALENCE OF HAI	188
5.1 Overall prevalence	188
5.2 Prevalence by HAI Type	189
5.3 Prevalence by age and gender	194
5.4 Prevalence by inpatient specialty	196
5.5 Prevalence by ward type	197
5.6 Prevalence by boarder status	198
5.7 Prevalence by hospitals and NHS boards	199
5.8 Prevalence by hospital type	204
5.9 Microbiology	205
APPENDIX 6 - INPATIENT CARE CHARACTERISTICS	217
6.1 Antimicrobials	217
6.2 Invasive devices	222
APPENDIX 7 - PREVALENCE AND INCIDENCE CALCULATIONS	223

APPENDIX 8 - USE OF ANTIMICROBIALS AS AN INDICATOR OF HAI	226
8.1 Diagnostic tests	226
8.2 Sensitivity	226
8.3 Specificity	227
8.4 Positive Predictive Value (PPV)	227
APPENDIX 9 - VALIDATION	228
9.1 Validation methods	228
9.2 Validation results	229
9.3 Validation discussion	230
APPENDIX 10 - CALCULATIONS FOR SURVEY TIME AND COST TABLES	231
10.1 HPS team	231
10.2 Local ward staff and data collectors	232
APPENDIX 11 - ACRONYMS	233
APPENDIX 12 - STEERING GROUP AND TEAM MEMBERSHIP	235
APPENDIX 13 - PROJECT TIMETABLE	238

LIST OF TABLES

Table 2-1: Advantages and disadvantages of prevalence and incidence surveys	25
Table 2-2: Summary of SSHAIP surveillance programmes	30
Table 5-1: Inclusion and exclusion criteria for National HAI prevalence survey	37
Table 6-1: Summary of survey population by hospital type, in acute and non-acute hospitals	48
Table 6-2: Acute Hospitals. Number of hospitals and eligible inpatients surveyed by hospital type	51
Table 6-3: Acute Hospitals. Number of hospitals and eligible inpatients surveyed by hospital size	52
Table 6-4: Non-acute Hospitals. Number of hospitals and eligible inpatients surveyed by hospital size	52
Table 6-5: Acute Hospitals. Wards and inpatients surveyed by ward type	53
Table 6-6: Acute Hospitals. Number and percentage of inpatients by specialty and gender (n=11608)	54
Table 6-7: Non-acute Hospitals. Number and percentage of inpatients by specialty and gender (n=2146)	55
Table 6-8: Acute Hospitals. Numbers and percentages of HAI diagnosed per inpatient (n=11608)	56
Table 6-9: Non-acute Hospitals. Numbers and percentages of HAI diagnosed per inpatient (n=2146)	57
Table 6-10: Acute Hospitals. Number and percentage of HAI cases by HAI type	61
Table 6-11: Acute Hospitals. Numbers and percentage of eligible inpatients with HAI by HAI type	62
Table 6-12: Acute Hospitals. Prevalence of HAI in eligible inpatients by specialty	63
Table 6-13: Non-acute Hospital. Number and percentage of HAI cases by HAI type	69
Table 6-14: Non-acute Hospitals. Numbers and percentage of eligible inpatients with HAI by HAI type	70
Table 6-15: Non-acute Hospitals. Prevalence of HAI in eligible inpatients by specialty	71
Table 6-16: Acute Hospitals. Prevalence of HAI by admission type	73
Table 6-17: Non-acute Hospitals. Prevalence of HAI by admission type	73
Table 6-18: Acute Hospitals. Number of antimicrobials prescribed per eligible inpatient at time of survey	74
Table 6-19: Acute Hospitals. Number of antimicrobials prescribed per eligible inpatient at time of survey	75

Table 6-20: Acute Hospitals. Numbers and percentages of prescriptions of antimicrobials at time of survey by antimicrobial group	76
Table 6-21: Non-acute Hospitals. Number of antimicrobials prescribed per eligible inpatient at time of survey	77
Table 6-22: Non-acute Hospitals. Number and percentage of prescriptions at time of survey by antimicrobial group	78
Table 6-23: Non-acute Hospitals. Numbers and percentages of prescriptions of antimicrobials at time of survey by antimicrobial group	79
Table 6-24: Acute Hospital prevalence of HAI by calendar quarter	80
Table 6-25: Acute Hospitals. Number of eligible inpatients with invasive devices, and proportion of invasive devices	81
Table 6-26: Non-acute Hospitals. Number of eligible inpatients with invasive devices, and proportion of invasive devices	82
Table 6-27: Acute Hospitals. Number and percentage of surgical procedures performed on inpatients diagnosed with a Surgical Site Infection	83
Table 6-28: Acute hospital univariate logistic regression (n=11 552)	85
Table 6-29: Acute hospital multivariate logistic regression (n=11 582)	86
Table 6-30: Non-acute hospital univariate logistic regression (n=2 126)	88
Table 6-31: Non-acute hospital multivariate logistic regression (n=2 124)	89
Table 6-32: Numbers of patients in LOS analysis	90
Table 6-33: Acute Hospitals. Burden study inpatient number and percentage of inpatients by specialty and gender (n=3 263)	92
Table 6-34: Acute Hospitals. Prevalence survey number and percentage of inpatients by specialty and gender (n=8 345)	93
Table 6-35: Acute Hospitals. Inpatient discharge status by HAI status (n=3 978)	94
Table 6-36: Inclusion/Exclusion criteria for the LOS study analysis	95
Table 6-37: Acute hospitals. Median length of stay and quartiles by discharge status (n=3 324)	96
Table 6-38: Acute Hospitals. Median and quartiles of length of stay by specialty (LOS <=180 days) (n=3 324)	96
Table 6-39: Acute Hospitals. Median and quartiles of length of stay by infection type (LOS <=180 days) (n=8 67)	98
Table 6-40: Acute Hospitals. LOS Model 1 showing variable, category, number of inpatients in each variable category, regression coefficient and standard error for HAI status	99
Table 6-41: Acute Hospitals. Estimates derived from LOS Model 1 of LOS for inpatients with and without HAI (Model 1 was produced using HAI status only)	100

Table 6-42: Acute Hospitals. LOS Model 2 showing variable, category, number of inpatients, regression coefficient and standard error for HAI and specialty	100
Table 6-43: Acute Hospitals. Estimates derived from LOS Model 2 for LOS for inpatients with and without HAI (Model 2 was produced using HAI status and specialty data)	101
Table 6-44: Acute Hospitals. LOS Model 3 showing variable, category, number of inpatients, regression coefficient and standard error for age, hospital size, specialty, calendar quarter and HAI status	102
Table 6-45: Inclusion and exclusion criteria for inpatients in the LOS analyses used for the economic analysis	104
Table 6-46: Acute Hospitals. LOS model 1 showing variable, category, number of inpatients in each variable category and regression coefficient for HAI status only using limited dataset	104
Table 6-47: Acute Hospitals. LOS Model 1 estimates for median LOS for inpatients with and without HAI (Model 1 was produced using HAI status only) using limited data set	105
Table 6-48: Acute Hospitals. LOS model 2 showing variable, category, number of inpatients, regression coefficient and standard error for HAI and specialty using limited data set (n=1 158)	105
Table 6-49: Acute Hospitals. Estimates for median LOS for inpatients with and without HAI and increased LOS due to HAI in days, from LOS model 2 (Model 2 was produced using HAI status and specialty data) using limited data set.	106
Table 6-50: Estimates of additional cost of a day in acute Scottish hospitals 2005/2006	107
Table 6-51: Acute Hospitals. Estimate of additional cost of a day in hospital by specialty	108
Table 6-52: Acute Hospitals. Additional length of stay associated with HAI by specialty and cost per added day	109
Table 6-53: Acute Hospitals. Number of discharges after a patient care episode by specialty in Scottish acute hospitals in 2005/06 and the prevalence of infection from the current survey	110
Table 6-54: Acute Hospitals. Estimated number of infections from current study applied to national annual data for each specialty showing annual estimate of HAI, increase LOS in days, an estimate of variable cost and full cost	111
Table 6-55: Acute Hospitals. Estimated additional bed days made available by reducing HAI, by 25% or 100%.	112
Table 6-56: Sensitivity analysis of economic analysis	112
Table 6-57: Acute hospitals. Comparison of HAI prevalence between group 1 and group 2	113
Table 6-58: Non-acute hospitals. Comparison of HAI prevalence between group 1 and group 2	113
Table 6-59: Acute Hospitals. Sensitivity, specificity and positive predictive value for the prescription of antimicrobials 48 hours or more after admission to hospital as an indicator of HAI	114
Table 6-60: Non-acute Hospitals. Sensitivity, specificity and positive predictive value for the prescription of antimicrobials 48 hours or more after admission to hospital as an indicator of HAI	114

Table 7-1: Costs calculated from the estimates of time spent on the Scottish national HAI prevalence survey in acute and non-acute hospital surveillance by the project team based at HPS	115
Table 7-2: Estimated time and financial cost of the Scottish national HAI prevalence survey to the local health services	116
Table 8-1: Acute Hospitals. Variables affecting HAI prevalence	121
Table 8-2: Non-acute Hospitals. Variables affecting HAI prevalence	121
Table 8-3: Comparison of economic estimates of cost of HAI estimated by previous studies	126
Table 8-4: Priority areas for surveillance of HAI	135
Table 8-5: Potential reduction in HAI by type and setting indicated by Harbarth et al (2003)	138
Table 8-6: Possible cost savings for various levels of % HAI reduction from prevention of all HAI, based on a total cost of £183 million.	140
Table 8-7: Priority areas for intervention	141

LIST OF APPENDIX TABLES

Appendix Table 1-1: Literature review of prevalence	160
Appendix Table 2-1: Data items collected for each component of the survey	162
Appendix Table 3-1: Mapping of specialty name to high level specialty groups	165
Appendix Table 3-2: Mapping of surgical procedures to high level surgery type	167
Appendix Table 3-3: Mapping of antimicrobials to high level antimicrobial groups	169
Appendix Table 3-4: Mapping of specific infection sites to high level HAI types	174
Appendix Table 4-1: Acute Hospitals. Number and percentage of inpatients surveyed by age group and gender	176
Appendix Table 4-2: Non-acute Hospitals. Number and percentage of inpatients surveyed by age group and gender	177
Appendix Table 4-3: Acute Hospitals. Categories used to describe each hospital, the season it was surveyed in and its size	178
Appendix Table 4-4: Non-acute Hospitals. Categories used to describe each hospital, the season it was surveyed in and its size	181
Appendix Table 4-5: Acute Hospitals. Number and percentage of inpatients surveyed by admission specialty	182
Appendix Table 4-6: Non-acute Hospitals. Number and percentage of inpatients surveyed by admission specialty	184
Appendix Table 4-7: Acute Hospitals. Number and percentage of inpatients surveyed by admission type	185
Appendix Table 4-8: Non-acute Hospitals. Number and percentage of inpatients surveyed by admission type	185
Appendix Table 4-9: Acute Hospitals. Summary of inpatient age by gender	185
Appendix Table 4-10: Non-acute Hospitals. Summary of inpatient age by gender	186
Appendix Table 4-11: Acute Hospitals. Number and percentage of inpatients in each specialty group that were lodging at the time of survey	186
Appendix Table 4-12: Non-acute Hospitals. Number and percentage of inpatients in each specialty group that were lodging at the time of survey	187
Appendix Table 5-1: Acute Hospitals. Number and percentage of inpatients diagnosed with HAI using 'CDC' and 'Therapy' criteria	188
Appendix Table 5-2: Non-acute Hospitals. Number and percentage of inpatients diagnosed with HAI using 'CDC' and 'Therapy' criteria. Refer to Section 6.2.5 for HAI diagnosis types	188
Appendix Table 5-3: Acute Hospitals. Inpatients with HAI categorised by HAI type	189

Appendix Table 5-4: <i>Non-acute Hospitals. Inpatients with HAI categorised by HAI type</i>	190
Appendix Table 5-5: <i>Acute Hospitals. Number and percentage of HAI cases categorised by specific site of infection</i>	191
Appendix Table 5-6: <i>Non-acute Hospitals. Number and percentage of HAI cases categorised by specific site of infection</i>	193
Appendix Table 5-7: <i>Acute Hospitals. Prevalence of HAI for inpatients categorised by age group and gender</i>	194
Appendix Table 5-8: <i>Non-acute Hospitals. Prevalence of HAI for inpatients categorised by age group and gender</i>	195
Appendix Table 5-9: <i>Acute Hospitals. Number of HAI cases by specialty group and HAI type</i>	196
Appendix Table 5-10: <i>Non-acute Hospitals. Number of HAI cases by specialty group and HAI type</i>	197
Appendix Table 5-11: <i>Acute Hospitals. Prevalence of HAI for inpatients surveyed in each ward type</i>	197
Appendix Table 5-12: <i>Acute Hospitals. Prevalence of HAI for inpatients categorised by boarder status and specialty group</i>	198
Appendix Table 5-13: <i>Non-acute Hospitals. Prevalence of HAI for inpatients categorised by boarder status and specialty group</i>	198
Appendix Table 5-14: <i>Acute Hospitals. Prevalence of HAI for inpatients categorised by hospital</i>	199
Appendix Table 5-15: <i>Acute Hospitals. Prevalence of HAI for inpatients categorised by hospital board</i>	201
Appendix Table 5-16: <i>Non-acute Hospitals. Prevalence of HAI for inpatients categorised by hospital</i>	202
Appendix Table 5-17: <i>Non-acute Hospitals. Prevalence of HAI for inpatients categorised by hospital board</i>	203
Appendix Table 5-18: <i>Acute Hospitals. Prevalence of HAI for inpatients categorised by hospital type</i>	204
Appendix Table 5-19: <i>Acute Hospitals. Prevalence of HAI for inpatients categorised by hospital size</i>	204
Appendix Table 5-20: <i>Non-acute Hospitals. Prevalence of HAI for inpatients categorised by hospital size</i>	204
Appendix Table 5-21: <i>Acute Hospitals. Number and percentage of ten most frequently occurring organisms reported for inpatients diagnosed with HAI</i>	205
Appendix Table 5-22: <i>Acute Hospitals. Number of reported organisms categorised by HAI type</i>	206

Appendix Table 5-23: Acute Hospitals. Number of inpatients categorised by organism type and specialty group	209
Appendix Table 5-24: Non-acute Hospitals. Number and percentage of ten most frequently occurring organisms reported for inpatients diagnosed with HAI	212
Appendix Table 5-25: Non-acute Hospitals. Number of reported organisms categorised by HAI type	213
Appendix Table 5-26: Non-acute Hospitals. Number of inpatients categorised by organism type and specialty group	214
Appendix Table 5-27: Acute hospitals. Number of patients with positive microbiology reports.	215
Appendix Table 5-28: Non-acute hospitals. Number of patients with positive microbiology reports.	216
Appendix Table 6-1: Acute Hospitals. Number and percentage of antimicrobials prescribed for surveyed inpatients	217
Appendix Table 6-2: Non-acute Hospitals. Number and percentage of antimicrobials prescribed for surveyed inpatients	220
Appendix Table 6-3: Acute Hospitals. Invasive device usage for burden study inpatients categorised by specialty group	222
Appendix Table 6-4: Non-acute Hospitals. Invasive device usage for burden study inpatients categorised by specialty group	222
Appendix Table 7-1: Comparison of SSHAIIP inpatient surgical site infection incidence surveillance data and HAI Prevalence acute burden study data from 1 October 2005 to 31 September 2006 by procedure	224
Appendix Table 8-1: Explanation of the measures of diagnostic test validity	226
Appendix Table 9-1: Level, field name and data type of data items evaluated with percentage agreement and kappa statistic for the inter-rater reliability (IRR) exercise	229
Appendix Table 10-1: Time taken for data collection during pilot prevalence survey for HPS data collectors, infection control staff and clinical staff	231
Appendix Table 10-2: Tolerance defined in the Project Initiation Document (PID) for the national HAI prevalence survey.	232
Appendix Table 11-1: List and expansion of acronyms	233
Appendix Table 12-1: National HAI prevalence survey project team	235
Appendix Table 12-2: National HAI prevalence survey project working group	236
Appendix Table 12-3: National HAI prevalence survey strategic steering group	236
Appendix Table 12-4: National HAI prevalence survey technical steering group	237
Appendix Table 13-1: Timetable for national HAI prevalence survey project	238

LIST OF FIGURES

Figure 5-1: Diagrammatic representation of the prevalence part of the Scottish National Prevalence Survey	35
Figure 5-2: Diagrammatic representation of the burden study part of the Scottish National Prevalence Survey	35
Figure 5-3: Diagrammatic representation of the LOS analysis part of the Scottish National Prevalence Survey	35
Figure 5-4: Diagrammatic representation of Scottish national HAI prevalence survey showing inclusion and exclusion criteria for prevalence and burden parts of the survey.	36
Figure 5-5: Standard procedure in data collectors' surveillance	39
Figure 6-1: Acute and non-acute inpatients surveyed in each Scottish NHS board during the national HAI prevalence survey	49
Figure 6-2: Acute Hospitals. Inpatients surveyed by age group and gender (n=11608)	50
Figure 6-3: Non-acute Hospitals. Inpatients surveyed by age group and gender (n=2146)	51
Figure 6-4: Acute Hospitals. Proportion of inpatients surveyed by specialty and gender (n=11608)	54
Figure 6-5: Non-acute Hospitals. Proportion of inpatients surveyed by specialty and gender (n=2146)	55
Figure 6-6: Acute Hospitals. Prevalence of HAI and 95% confidence intervals by age group and gender	57
Figure 6-7: Non-acute Hospitals. Prevalence of HAI and 95% confidence intervals by age group and gender	58
Figure 6-8: Acute Hospitals. Prevalence of HAI in eligible inpatients and 95% confidence intervals by hospital type	59
Figure 6-9: Acute Hospitals. Prevalence of HAI in eligible inpatients and 95% confidence intervals by ward type	59
Figure 6-10: Acute hospital funnel plot showing prevalence by inpatient numbers for Care of the Elderly specialty	64
Figure 6-11: Acute hospital funnel plot showing prevalence by inpatient numbers for Gynaecology specialty	65
Figure 6-12: Acute hospital funnel plot showing prevalence by inpatient numbers for Haematology specialty	65
Figure 6-13: Acute hospital funnel plot showing prevalence by inpatient numbers for Medical specialty	66
Figure 6-14: Acute hospital funnel plot showing prevalence by inpatient numbers for Obstetrics specialty	66

Figure 6-15: Acute hospital funnel plot showing prevalence by inpatient numbers for Oncology specialty	67
Figure 6-16: Acute hospital funnel plot showing prevalence by inpatient numbers for Orthopaedic specialty	67
Figure 6-17: Acute hospital funnel plot showing prevalence by inpatient numbers for Surgery specialty	68
Figure 6-18: Acute hospital funnel plot showing prevalence by inpatient numbers for Urology specialty	68
Figure 6-19: Non-acute hospital funnel plot showing prevalence by inpatient numbers for Care of the Elderly specialty	72
Figure 6-20: Non-acute hospital funnel plot showing prevalence by inpatient numbers for Medical specialty	72
Figure 6-21: Non-acute hospital funnel plot showing prevalence by inpatient numbers for Psychiatry specialty	73
Figure 6-22: Acute Hospitals. Inpatients surveyed as part of the burden study by age group and gender (n=3 258)	91
Figure 6-23: Acute Hospitals. Inpatients surveyed by age group and gender as part of the prevalence study (n=8 334)	91
Figure 6-24: Acute Hospitals. Comparison of inpatients specialties for burden and prevalence survey populations as a percentage of each sample population	94
Figure 6-25: Acute Hospital histogram of LOS for those with LOS < 200 days (n=3 978)	95
Figure 6-26: Acute Hospitals. box plot of length of stay by specialty (LOS <=180 days) (n=3 324)	97
Figure 6-27: Acute Hospitals. Box plot of length of stay by HAI type (LOS <=180 days) (n=867)	97
Figure 6-28: Acute Hospitals. LOS sample Kaplan Meier curve by HAI	98
Figure 8-1: Pyramid representation of HAI types. Showing infection types, 55 blood stream infections in total, 17 of which are have Staphylococcus aureus as the causative organism.	134

LIST OF EQUATIONS

Equation 1: Length of stay calculation	43
Equation 2: Formula for calculating cumulative incidence from prevalence data	45
Equation 3: Calculation for the estimated prevalence of HAI in a given population using regression coefficients	87
Equation 4: Formula for the calculation of sensitivity	226
Equation 5: Formula for the calculation of specificity	227
Equation 6: Formula for the calculation of positive predictive value	227
Equation 7: The formula to calculate the time to use for each project stage using PERT analysis	231